1. IN	TERIOR	oints
a.	Door Area:	
	Door Panel & Trim: Original style and finish.	
	99 35th Anniversary limited edition silver leather inserts	
	03 Cobra 10 <sup>th</sup> Anniversary red inserts	
	Door Weather-strip, Step Plates: Original style and finish in original location.	
	01 Bullitt aluminum "Bullitt" engraved step plates.	
	2 point deduction for aftermarket step plates (brushed aluminum, chrome, powder coated, or painted).	
	<b>Door Hardware:</b> Includes latching mechanisms and hinges. Original style mounted in original location. Power locks, side window controls, V8 only.	
	03-04 Mach I optional aluminu <mark>m loc</mark> king door lock posts	
	2 point deduction for aftermarket covers (brushed aluminum, chrome, powder coapainted) on window controls and door lock handles (either door).	ated, or
	00 Cobra R manual windows a <mark>nd d</mark> oor locks.	
-	Painted Surfaces, Door Edges and Jambs: Includes door ends and bottom.  Painted same as exterior	.8
	Quality of workmanship, condition, and cleanliness	
	Note: 4 <sup>th</sup> Gen hinge areas have thin, flat paint. Look closely to make sure this paint isn't mistaken for dirt	10
b.	Seat Style, Grain, Seat Belts, and Shoulder Harnesses: Correct seats and style for year, see VC label. 4-way power seat adjustment, all models. GT & Cobra with leather, 4-way seats and power lumbar. Belts correct for year and model. 3-point lap & shoulder type.	
	99 35 <sup>th</sup> Anniversary Limited Ed <mark>ition</mark> silver leather inserts	
	99 Cobra no logo on seat back	
	00 Cobra R, Recaro racing seats.	
	01 Bullitt leather with vertical pleats and special stitching 03 Cobra 10th Anniversary red leather inserts.	
	04 Cobra Mystichrome, mystichrome inserts.	
	03-04 Mach I leather with weave inserts	
	00 Cobra R must have rear seat delete	. 4
	Quality of workmanship, condition, and cleanliness	14

© 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 1 of 21

	1999 - 2004 MUSTANG CONCOURS TRAILERED / DRIVEN JUDGING RULES
	Kick Plates and Trim Panels: Correct color and style for interior2
	Quality of workmanship, condition, and cleanliness2
	Decals: Tire pressure decal,
	02-04 inside gas cap cover.
	Calibration decal, 99-04 may or may not have calibration decal on passenger side door post1
c.	Sun Visors: Correct grain and style.
	99-00 Vanity mirrors with covers (convertible, Cobra and GT models - illuminated)
	Cobra R does not have vanity mirrors2
	Quality of workmanship, conditi <mark>on, and cleanliness2</mark>
d.	Headliner or Underside of Soft Top: Headliner, correct texture.
	Convertible must have headliner.
	03 Mach I has overhead cargo net, 04 Mach I does not3
	Quality of workmanship, condition, and cleanliness4
e.	Carpet: Original molded type correct color for interior.
	99 35 <sup>th</sup> Anniversary Limited Edition mat has 35 <sup>th</sup> anniversary logo
	03 10th anniversary Cobra mat has "SVT 10th Anniversary" plate.
	04 40 <sup>th</sup> anniversary GT mats h <mark>as em</mark> broidered, "40 <sup>th</sup> Anniversary."
	Deduct 3 points for aftermarket front mats.
	Deduct 2 points for rear floor mats (Ford did not provide rear floor mats)6
	Quality of workmanship, condition, and cleanliness6
	Note: DO NOT LIFT OR REMOVE FLOOR MATS!
f.	Windshield Trim, Inside Mirror, Top Latches and Visor Brackets: Original style and finish. Mounted in original location
	Quality of workmanship, condition, and cleanliness2
g.	Dash Pad and Cowl: Original grain and style. Correct color for interior.
=	1 point deduction for aftermarket anti-theft system indicator and or key/controller on or

# © 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 2 of 21

h.	Gauges and Instrument Cluster Face Plate:
	<u>Gauges</u>
	99-01 Cobra and Cobra R: white faced gauges
	99 35th anniversary limited edition silver dash black faced gauges
	01 Bullitt has black faced gauges.
	03-04 Mach 1 has black faced gauges
	2 point deduction for aftermarket gauges or gauge faces.
	1 point deduction for aftermarket, chrome or brushed aluminum rings surrounding the gauges
i.	Dash Hardware, Control Switches and Knobs, Steering Column and Wheel Assembly: Correct style and finish mounted in original location.
	99-00 clock in radio display.
	03-04 Mach I optional aluminum looking dash bezel & trim.
	Proper airbag steering wheel, leather wrap on 99-00 GT & Cobra models.
	99-04 Cobra steering wheel airbag cover must say "COBRA" 12 volt auxiliary power outlet,
	99-04. 2 point deduction for aftermarket headlight switch, turn signals, wiper controls, controls on steering wheel; and radio controls covers (brushed aluminum, chrome, powder coated, or painted)
	2 point deduction for aftermarket computer tuning controller (usually these replace the cigarette lighter)
j.	Radio and Speakers:
	99-00, Premium Sound system with cassette and CD player in dash.
	99-00 optional Mach 460 sound system.
	01 Bullitt Optional Mach 460 sound system
	01-04 Mach 460 sound system standard.
	94-04 have speakers at top front corners of doors.
	99 Cobra Premium sound system standard, Mach 460 optional.
	00 Cobra R models radio deleted.
	03-04 Mach1, Mach 460 standard 4

# © 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 3 of 21

# 1999 - 2004 MUSTANG CONCOURS TRAILERED / DRIVEN JUDGING RULES Quality of workmanship, condition, and cleanliness of above 4 categories. HINT: Gauge Face plate should be scratch free on concours cars with no dust or dirt behind the face plate. Unrestored cars may have very light scratches, but no dust or dirt behind the face plate. .....9 k. **Under Dash Area: Pedal Assembly**; Standard: Black rubber pedal covers 02-04 V8 may have Bullitt-type pedals (brushed aluminum with round rubber treads). 99-04, correct style dead pedal (foot rest). 02-04 Cobra, 00 Cobra R, 03-04 Mach1, 40th Anniversary, 01 Bullitt, brushed aluminum pedals. 03-04 Mach I optional brushed aluminum pedals. 99-01 Cobra, black rubber pedals. Firewall Cover, Shifter; Cars with 5-speed manual transmissions should have a black leather shift knob with the shift pattern embossed on the top of the knob. The knob should be all one color. 2 point deduction for an aftermarket shift knob. 01 Bullitt, 03-04 Mach I brushed aluminum shift ball with aluminum looking bezel. Console; Original style and finish mounted in original location. 03 Cobra 10th Anniversary: Carbon-fiber look parking brake handle. 2 point deduction for aftermarket cup holder inserts. Quality of workmanship, condition, and cleanliness. ......6 Ī. Package Tray and Quarter Panels: Correct color and style for interior. Fold down seat option matching carpeted backs (view through trunk, don't lower fold down seats in the passenger compartment). 00 Cobra R rear seat deleted with soft cover. ......5

#### © 2023 Mustang Club of America, Inc.

Point Deductions for any other items not proper or original. Cross check

Quality of workmanship, condition, and cleanliness. ......6

with owner documentation. .....5

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 4 of 21

2.	TRU	JNK	<b>Points</b>
	a.	Mat, Trunk Covering and Tire Cover Board:	
		Mat and covering required for coupes and convertibles, except Cobra R.	
		Engine start decal must be in place. Proper masonite board for year and model.	
		Escape handle, 99-04	6
		Quality of workmanship, condition, and cleanliness. NOTE: DO NOT LIFT UP OR REMOVE THE TIRE COVER BOARD!	2
	b.	Convertible Boot	2
		Quality of workmanship, condition, and cleanliness.	2
	c.	Wiring: Proper type for year and model. Routed in original position, from behin	nd left
		hinge, along trunk lid to center of trunk lid. R models should not have wire for rear defrost.	
		Quality of workmanship, condit <mark>ion,</mark> and cleanliness.	2
	d.	Trunk and Trunk Lid:	
		2 point deduction for aftermarket tire cover pad	
		2 point deduction for aftermarket tool kit installed on the underside of the trunk lid (unless owner has proof that the original dealer installed the items)	4
		Quality of workmanship, condition, and cleanliness.	
		NOTE: The Paint on the underside of the trunk lid may be dull in appearance.	
		NOTE: Check the condition of the rubber bump stops (1 on each side of the trunk, inserted inside metal springs).	2
	e.	Hinges and Lift Supports: Proper type for year and model.	
		1 Point deduction for aftermarket replacement lift supports	2
		Quality of workmanship, condit <mark>ion,</mark> and cleanliness.	2
	f.	Trunk Weather-strip and Trunk Latch: Original style, mounted in original location.	3
		Quality of workmanship, condition, and cleanliness.	3
		Point Deductions for any other items not proper or original. Crosscheck with owner documentation.	

# © 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 5 of 21

EN	GINE COMPARTMENT	Point
a.	Battery Carrier and Hold-down: With appropriate attaching parts. Proper for year and model.	2
	Quality of workmanship, condition, and cleanliness.	
b.	<b>Battery:</b> Motorcraft. Proper group size for year and model. Correct battery must be installed in the car for judging.	
	<b>Unrestored:</b> Must be orgininal Motorcraft battery with eye 0 points. Proper make and model mandatory 3 point deduction. Any other type mandatory 6 point deduction.	
	Concours: Motorcraft proper size make and model 0 points. Black no name battery – mandatory 3 point deduction. All other brands – mandatory 6 point deduction.	6
	Quality of workmanship, condition, and cleanliness	2
c.	Battery Cables and Starter Cable: Motorcraft. Routed in original position.	
	Positive Cable: Red	
	Starter and Ground Cable: Black	3
	Quality of workmanship, condition, and cleanliness	2
d.	Alternator and Starter: Motorcraft.	
	Alternator: Natural cast aluminum finish.	
	Alternator Fan:	
	99-04 - No visible alternator fan.	
	Alternator Pulley:	
	99-4 - Black.	
	Starter: Semi-gloss black or natural	2
	Quality of workmanship, condition, and cleanliness.	2
e.	Engine Components to be P <mark>ainte</mark> d:	
	Semi-Gloss Black Components: Timing cover	
	01 Bullitt has black valve covers.	
	03 Mach1, 99-04 V6, and 99-04 V8 (except Cobra) valve covers.	
	Semi-Gloss Black or Natural Components:	
	Engine mount brackets.	5
	Quality of workmanship, condition, and cleanliness	4

# © 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 6 of 21

f. **Engine Components to be Natural:** Engine block, heads, thermostat housing, crankshaft pulley, bell housing, water pump and timing chain cover. Unrestored Only: Minor surface rust OK on natural parts for Unrestored only. Valve Covers: 99-04 Cobra & Cobra R, and 04 Mach 1 natural with Clear Coat. Quality of workmanship, condition, and cleanliness. ......5 Air Intake, Plenum, Intake Manifold and Attaching Parts: Proper type for model and g. year. Baffle/Silencer in place. Proper Mass Air Flow Sensor. 99-04 GT manifold is black plastic. 99-01 SVT Cobra & Cobra R: snake emblem on plenum cover. 03-04 Mach1: Attached shaker hood scoop. 2 point deduction for aftermarket cold-air or ram-air intake kits. 2 point deduction for aftermarket plenum (on GT cars the plenum should display a silver running horse on top) 2 point deduction for aftermarket throttle body 1 point deduction for an aftermarket throttle body spacer. 3 point deduction for an aftermarket intake manifold. 8 point deduction for an aftermarket shaker hood scoop (if this is the only Quality of workmanship, condition, and cleanliness. ......4 h. **Supercharger:** Proper type for year and engine. 03-04 SVT Cobra: Eaton supercharger painted grey: - 5 point deduction for an aftermarket supercharger (all 99-04 cars). - 2 point deduction for evidence of that the supercharger has been ported (company name added to the top of the supercharger. - 1 point deduction if the grey painted pulley cover has been repainted or is missing. - 2 point deduction for aftermarket pulleys.......5 Quality of workmanship, condition, and cleanliness. ......2 i. **Exhaust Manifolds:** Quality of workmanship, condition, and cleanliness. ......2

#### © 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 7 of 21

j.	Fuel Lines and Attaching Parts:	
	Rigid Lines: Original configuration and finish in original location with proper atta	ching
	parts.	
	Flex Lines: Black with original factory markings.	
	Clamps: Spring style.	2
	Quality of workmanship, condition, and cleanliness.	2
k.	Fuel Injection: Original style injectors for year and engine in original location. F	roper
	throttle and fuel rails.	6
	Quality of workmanship, condition, and cleanliness.	4
1.	Oil Filter: Motorcraft.	
	Quality of workmanship, condit <mark>ion,</mark> and cleanliness.	2
m.	Air Conditioning and Attachi <mark>ng P</mark> arts:	
	Semi-Gloss Black Components: Condenser and dryer.	
	Natural Components: A/C compressor and attaching parts. 00 Cobra R, A/C	
	deleteddeleted	3
	Quality of workmanship, condition, and cleanliness.	2
n.	Power Steering:	
	Semi-Gloss Black Components: Pump pulley. Pump filler cap with yellow lette	ring.
	Natural Components: Pump and mounting bracket (may be black).	
	00 Cobra R, P/S deleted.	
	1 point deduction for aftermarket pump filler cap cover (chrome, brushed alumin painted)	
	Quality of workmanship, condition, and cleanliness.	2
ο.	Emission System: Proper system for year and model, with components mounted	ed in
	the original location	8
	Quality of workmanship, condition, and cleanliness.	4
p.	Fender Bolts: Original style painted body color	2
	Quality of workmanship, condition, and cleanliness.	2
q.	Windshield Washer System, Mounting Brackets, Hoses and Pump: Original	type
	and finish mounted in original location	2
	Quality of workmanship, condition, and cleanliness.	
	Hint: Look for dirt on top of filler neck inside the fender	2

# © 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 8 of 21

	1999 - 2004 MUSTANG CONCOURS TRAILERED / DRIVEN JUDGING RULES	
r.	Firewall and Inner Fender Panels: Painted body color	2
	Quality of workmanship, condition, and cleanliness.	6
S.	Underside of Hood, Pad and Clips: Underside of hood - same color as exterior. Hood pad and clips as original. Cobra R does not have hood pad	2
	Quality of workmanship, condition, and cleanliness.	2
t.	Hood Release, Latch and Support Rod:	
	Release and Latch: Original style, black.	
	Support Rod: Painted body color or black.	
	Quality of workmanship, condition, and cleanliness.	2
u.	Hood Hinges: Original style. Body color	2
	Quality of workmanship, condit <mark>ion,</mark> and cleanliness.	2
v.	Decals:	
	99-04 emission control information decal on underside of hood and A/C caution decal on radiator cover.	3
	2001 Bullitt should have a holo <mark>gram</mark> label "Bullitt": on left inner fender.	
	Quality of workmanship, condition, and cleanliness.	2
w.	Voltage Regulator and Electronic Modules: Motorcraft electronic regulator.  Proper for year and model.	3
	Quality of workmanship, condition, and cleanliness.	2
x.	Wiring: Proper gauge and color code, mounted in original location with proper	
	attaching clips. Black plastic wrapping or covering as original	3
	Quality of workmanship, condition, and cleanliness.	2
у.	Master Cylinder, Power Brake Unit and Rigid Brake Lines:	
	Master Cylinder: Aluminum with plastic reservoir.	
	Cap: Black plastic.	
	Power Brake Booster: Semi-gloss black finish.	
	Rigid Brake Lines: Natural steel finish.	3
	Quality of workmanship, condition, and cleanliness,	2

# © 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 9 of 21

# Z

Z.	Radiator, Fan Shroud, Hoses and Clamps:
	Radiator: Ford type with correct attaching parts.
	Fan Shroud: Correct with correct attaching parts.
	Hoses: Ford hoses with correct stamping or plain.
	Clamps: Squeeze type only, except Cobra R may have wire type screw clamps.
	Cobra R also has degas bottle.
	5 point deduction for an aftermarket radiator.
	3 point deduction for aftermarket hoses
	Quality of workmanship, condition, and cleanliness4
aa.	Radiator Overflow Reservoir and Cap: Motorcraft. Proper pounds indicated cap. Cobra R's have two caps – one without pressure.
	1 point deduction for an aftermarket cap cover (chrome, brushed aluminum, or painted).
	3 point deduction for an aftermarket radiator cover (chrome, brushed aluminum, or painted)4
_	Quality of workmanship, condition, and cleanliness2
bb.	Heater Hoses and Clamps:
	Hoses: Motorcraft.
	Clamps: Worm and squeeze type3
	Quality of workmanship, condition, and cleanliness2
cc.	Belts: Motorcraft
	Quality of workmanship, condition, and cleanliness2
dd.	Security System: Deduct for aftermarket system (look for a speaker or a horn mounted in the engine bay)
	Quality of workmanship, condition, and cleanliness2
ee.	Under Drive Pulleys: Not allowed2
	Note: 03-04 Mach 1 cars may have paint marks on engine components and on underside of engine and transmission.
	Point Deductions for any other items not proper or original. Crosscheck with

# © 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 10 of 21

# 4. UNDERCARRIAGE Points

# a. Undercarriage:

C.

d.

e.

Undercoating: No undercoating allowed in Trailered Class.

Undercoated Cars: Everything must be covered except drive

shaft, transmission, rear-ends housing, exhaust pipes, mufflers, springs and plates. Gas tank must be fully undercoated or have overspray around leading front edge and two sides. Must show some evidence of overspray.

#### Or

Non-Undercoated Cars: Floor pans and tunnel - body color or natural with clear coat. Unrestored may have some overspray
Workmanship, condition and cleanliness of undercoating.
(Workmanship of undercoating must be poor quality or excessive to deduct points).
Workmanship, condition and cleanliness of underside of floor pans15
Wheel Wells:
Rear Wheel Housing: Blacked out or gray with some body color overspray acceptable
Cobra R does not have sound deadening.
Front Wheel Housing: Black plastic liner
Quality of workmanship, condition, and cleanliness
Rigid Fuel and Brake Lines: Natural steel finish. Routed in original location 2
Quality of workmanship, condition, and cleanliness
Flexible Fuel and Brake Lines: Black rubber. Original Ford factory markings.
Mounted in proper location1
Quality of workmanship, condition, and cleanliness

© 2023 Mustang Club of America, Inc.

Gas Tank: Must be original type and finish. Black plastic shield must be in

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 11 of 21

# f. Suspension and Steering:

**Front Natural Parts:** Steering rack, tie rod ends, sway bar end links and mounting brackets, spindles.

Front Semi-Gloss Black Parts: Coil springs, A-arm and sway bar.

Rear Natural Parts: Sway bar attaching parts.

Rear Semi-Gloss Black Parts: Rear sway bar, coil springs.

99-04 Cobra Convertibles, 01 Bullitt, & 03-04 Mach1, and 04 40<sup>th</sup> Anniversary subframe connectors painted black.

99-04 Cobra, & 00 Cobra R independent rear suspension natural finish.

99-04 Cobra, 00 Cobra R, 01 Bullitt, 03-04 Mach1 unique model specific

anti-roll bars.....9

Quality of workmanship, condition, and cleanliness. ......8

- g. Front Brakes Disc: Calipers and dust shields, natural finish.
  - 99-04 Cobra, 03-04 Mach1, calipers natural finish.
  - 99-04 Cobra calipers with raised COBRA lettering.
  - 00 Cobra R, calipers carbon fiber heat shields with cooling ducts from front fascia.
  - 01 Bullitt, calipers painted red with running pony logo.
  - 03 10th Anniversary Cobra calipers painted red with white "COBRA" lettering.

Quality of workmanship, condition, and cleanliness. ......6



All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 12 of 21

h.	Transmission Cross Brace Support: Semi-gloss black or natural finish	2
	Quality of workmanship, condition, and cleanliness.	1
i.	Pinion Housing and Trailing Arms: Natural	4
	Quality of workmanship, condition, and cleanliness.	2
j.	Rear-End Housing: Semi-gloss black finish	2
	Quality of workmanship, condition, and cleanliness.	2
k.	Shock Absorbers: 03-04 Cobra struts are yellow with black outer sleeves and shocks are yellow with blue outer sleeves.	
	00 Cobra R Bilstein dampener <mark>s.</mark>	
	01 Bullitt, 03-04 Mach1 front T <mark>okico</mark> dampeners rear Motorcraft.	
	All other shocks black Motorcraft.	
	Non Ford - mandatory 4-point deduction	4
	Quality of workmanship, condition, and cleanliness.	2
I.	Exhaust System: Proper material and finish. Correctly mounted with proper	
	attaching hardware. Catalytic converters must be present. Minor surface rust and discoloration on H-pipe ok on Unrestored only. No painted pipes.	
	99-04 GT, 3" exhaust tips.	
	00 Cobra R, has Borla side exit exhaust.	
	01 Bullitt 03-04 Mach I rolled exhaust tips.	
	Muffler: Must be Ford or Ford replacement in original style and location.	
	Clamps and Hangers: No clamps, mandatory 2 point deduction for clamps. Proper hangers, natural steel and rubber finishes.	8
	Quality of workmanship, condition, and cleanliness.	8
m.	Grommets, Attaching Nuts, Bolts and Washers: Original style and finish	4
	Quality of workmanship, condition, and cleanliness.	2
	Point Deductions for any other items not proper or original. Crosscheck with owner documentation!	5

# © 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 13 of 21

**5.** EXTERIOR **Points** 

Body Workmanship and Fit: Smoothness of sheet metal, alignment of hood, trunk, a. doors to body, attachment and alignment of trim parts to body. Items, below, listed as "left," refer to the driver's side of the car. Items listed as "right," refer to the passenger's side of the car.

- Paint Workmanship, Condition and Cleanliness: Match and consistency of color b. on body panels.
  - 1. Main Body Workmanship and Fit Including roof, lower back panel (tail light panel), upper back panel (between rear window & trunk), rear guarter panels and rocker panels (including rocker faces and undersides). Especially A-pillar, roof and window drip edge areas......9
  - 2. Main Body Paint Workmanship, Condition and Cleanliness ......9
  - 3. Trunk Lid Workmanship and Fit: Should have equal gaps at ¼ panel and upper back panel and be flush with those panels......2
  - 4. Trunk Lid Paint Workmanship, Condition and Cleanliness......2
  - 5. **Left Door Workmanship and Fit** Especially mating edge to rear quarter panel. Should have equal gaps at 1/4 panel, rocker panel and front fender and be flush with the adjoining parts. ......2
  - 6.
  - 7. Left Front Fender Workmanship and Fit Especially mating edge fender to door. Fender extensions should be flush with fenders, top and side. (If hood and
  - 8.
  - 9. Hood & Cowl: Proper style and finish for year. Reminder: Point deductions for aftermarket stripes in this area are addressed elsewhere on this sheet. ........2
  - 10.
  - 11. Right Door Workmanship and Fit Especially mating edge to rear quarter panel. Should have equal gaps at 1/4 panel, rocker panel and front fender and be flush
  - 12.
  - 13. Right Front Workmanship and Fit Especially mating edge fender to door. Fender extensions should be flush with fenders, top and side. (If hood and doors
  - 14. Right Front Fender Paint Workmanship, Condition and Cleanliness......2
  - 15. Orange Peel (Typical factory finish, consistent orange peel throughout, no deduction. Sanded & buffed, up to 3 point deduction depending on remaining visible orange peel and consistency. No credit for orange peel in a single

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 14 of 21

**Stripes and Decals:** Must be original type material for year and model of car, C. placed in proper location. Must be proper color. Cobra & Cobra R snake emblem on front fenders & SVT emblem on rear deck lid. 99 Cobra "SVT Cobra" emblem on rear deck lid. 00 GT Feature Cars: Black Stripes on either side of the top of the hood and trunk. The letters "GT" will cut into the stripes on the hood. 01 Bullitt, "Bullitt" badging on rear decklid and GT emblems on front fenders. 03-04 Mach1, "Mach1" badging on decklid, hood, and side stripes. 03 Mach I tri bar emblems on front fenders. 04 Mach I 40th anniversary badge on front fender. ......3 Quality of workmanship, condition, and cleanliness. ......2 d. **Convertible Top:** Proper material and color for year. 03-04 Cobra, fabric top instead of vinyl. .....4 Grille, Corral and Grille Opening Trim: e. 99-04, Black egg-crate grille with running horse in corral. 99-04 Cobra, Cobra R, & Mach1 running horse only, no grille. 01 Bullitt running horse with black corral......2 Quality of workmanship, condition, and cleanliness. ......2 f. Headlamps: Original manufacturer lenses. ......4 Quality of workmanship, condition, and cleanliness. ......2 **Fog Lamps:** Original type, mounted in original location. g. 99-04 Cobra round fog lamps in lower front bumper cover. Cobra R & Bullitt, no fog lamps. 02 Cobra 4 fog lamps 03-04 Mach1 rectangular-ish fog lamps in lower front bumper cover. ......2 Parking, Tail, Back-Up, Running and Tag Lights: h. Original design for year. Vertical tri-bar tail lights. .....6 Quality of workmanship, condition, and cleanliness. ......2

#### © 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 15 of 21

i.	Bumper Covers: Proper style and finish for year. Mounted in original position.	
	01-04 Cobra, "COBRA" in rear fascia.	
	99 Cobra & 00 Cobra R "MUSTANG" in rear fascia.	
	03-04 Cobra rear cover has black lower insert.	
	2 point deduction for vinyl, chrome, brushed aluminum, or painted inserts	
	("COBRA" or "MUSTANG")	.5
	Quality of workmanship, condition, and cleanliness	.4
j.	Other Trim and Molding: Proper style and finish for year, mounted in original loc	cation.
	Outside mirrors (black or body color)	
	Wiper arms/blades (all black)	
	99 35th anniversary edition, 00 Cobra R, 01 Bullitt, 03-04 Cobra & Mach1: Unique scoops.	e side
	99-01 Cobra & 00 Cobra R: Un <mark>ique</mark> deck mounted wing type spoiler.	
	03-04 Cobra: Deck lip spoiler.	
	03-04 Mach1: Black deck mounted wing type spoiler.	
	01 Bullitt no spoiler.	
	01 Bullitt has a brushed aluminum fuel door, molded front mud shields.	
	00 Cobra R: Removable front splitter.	
	03-04 Cobra & Mach1 black front air dam beneath fascia	.5
	Quality of workmanship, condition, and cleanliness.	.2
k.	Antenna: Black (99-02) or silver (03-04) with black round or oval base.	
	Cobra R will have antenna delete plate.	.2
	Quality of workmanship, condition, and cleanliness.	.2
I.	Windshield and Other Glass: Must be Carlite or Ford glass - script or block.	
	Convertible rear window, glass.	
	99 Anniversary and Cobra - no pony on windshield.	
	Cobra R should not have rear defrost grid	.4
	Quality of workmanship, condition, and cleanliness	4

# © 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 16 of 21

**n. Center Caps and Lug nuts:** If visible. Correct style for year with proper center caps.

99-00 center cap inserts with running horse logo. Must have correct lug nuts and "O" locking lugs (if equipped).

03-04 Cobra, SVT center caps.

00 Cobra R "Cobra R" center caps.

03-04 Mach1 pony tribar center caps. ......5

**o.** Wheels: Proper size and correct style for year and model.

# 1999

V-6 Standard -15X6.5 – Aluminum – 6-spoke bright argent paint.

GT Standard - 16X7.5 – Aluminum – 5-spoke bright argent paint.

GT Optional- 17X8 – Aluminum – 5-spoke with grooved spokes.

GT 35th Anniversary Edition - 17X8 – Aluminum - 5-spoke grooved spokes with grey inserts in each spoke

Cobra - 17X8 – Aluminum - 5 spoke

#### 2000

V-6 Standard -15X6.5 – Aluminum – 6-spoke bright argent paint.

V-6 Sport Appearance – 15X6.5 – Aluminum – 6-spoke (same as above but with bright machined finish).

V-6 Sport Appearance Optional – 16X7.5 – Aluminum – 5-spoke as below but with bright machined finish.

GT Standard - 16X7.5 – Aluminum – 5-spoke bright argent paint.

GT Optional- 17X8 – Aluminum – 5-spoke with grooved spokes.

Cobra – 17/8 – Aluminum – 5-spoke

Cobra R; 18X9.5 – Aluminum - 5-Spoke (center caps have a cobra inside a red capital "R")

#### 2001

V-6 Standard -15X6.5 – Aluminum – 6-spoke bright argent paint.

V-6 Sport Appearance – 16X7.5 – Aluminum – 5-spoke

GT Standard I- 17X8 – Aluminum – 5-spoke with grooved spokes.

GT Optional and Bullitt - 17X8 – Aluminum - 5 spoke (painted spokes pony tribar center caps)

Cobra; 17X8; - Aluminum - 5 spoke

#### © 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 17 of 21

- V-6 Standard Coupe 16X7.5 Aluminum 5-spoke bright argent paint.
- V-6 Conv Premium Coupe 16X7.5 Aluminum 5 spoke; bright machined finish.
- GT Standard 17X8 Aluminum 5-spoke with grooved spokes
- GT Premium 17X8 Aluminum 5-spoke (painted spokes pony tri-bar center caps.

# 2003

- V-6 Standard Coupe 16X7.5 Aluminum 5-spoke bright argent paint.
- V-6 Conv Premium Coupe 16X7.5 Aluminum 5 spoke; bright machined finish.
- V-6 Pony Package 16X7.5 Aluminum 5-spoke; bright-polished finish.
- GT Standard 17X8 Aluminum 5-spoke with grooved spokes
- GT Premium 17X8 Aluminum 5-spoke (painted spokes pony tri-bar center caps.
- GT Premium Optional 17X8 Aluminum 5-spoke bright polished finish.
- Mach 1 17X8 Aluminum 5 spoke alloy (resembles a Magnum 500 rim)
- Cobra 17X9 Aluminum 5-spoke
- Cobra optional 17X9 Aluminum 5 spoke; chrome finish
- Cobra 10th Anniversary 7X9 Aluminum 7-spoke with slots cut in each spoke.

# 2004

- V-6 Standard Coupe 16X7.5 Aluminum 5-spoke bright argent paint.
- V-6 Conv Premium Coupe 16X7.5 Aluminum 5 spoke; bright machined finish.
- V-6 Pony Package 16X7.5 Aluminum 5-spoke; bright-polished finish.
- GT Standard 17X8 Aluminum 5-spoke with grooved spokes
- GT Premium 17X8 Aluminum 5-spoke (painted spokes pony tri-bar center caps.
- GT Premium Optional 17X8 Aluminum 5-spoke bright polished finish.
- Mach 1 17X8 Aluminum 5 spoke alloy (resembles a Magnum 500 rim)
- 40<sup>th</sup> Anniversary V6 Premium 16X7.5 Aluminum 5-spokebright machined finish with Arizona Beiger painted highlights.

#### © 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 18 of 21

40th Anniversary GT Premium - 17X8 – Aluminum - 5 spoke (Arizona Beige painted spokes pony tri-bar center caps)

Cobra - 17X9 - Aluminum - 5-spoke.

Cobra Optional Standard on Mystichrome - 17X9 – Aluminum - 5-spoke chrome finish.

**Tires:** Proper size and style for yer and model. See the wheel and tire guide, above.

- -Concours-driven or trailered: Proper size and speed rating for year and model, then no deduction.
- Wrong size: 4 point deduction
- Wrong speed rating: 4 point deduction
- Unrestored: Proper brand, size, and same or higher speed rating for year and model no deduction.
- Improper brand: 4 point deduction
- Improper size: 2 point deduction
- Improper speed rating: 2 point deduction
- Thoroughbred: proper make, model, size, and date code (date precede assembly date of car) for year and model, no deduction.
- Improper make: 2 point deduction
- Improper size: 2 point deduction
- Improper date code: 2 point deduction

# **Date Codes:**

Look for "DOT" on the tire followed by 10-12 characters:

- 1999: 3-digit code. First 2 digits are the week of manufacture; the last digit is the year within the decade. Ex.: 329 = 32d week of 1999.
- 2000 to 2004: 4-digit code. First 2 digits are the week of manufacture; the last two digits are the year within the decade. Ex.: 2804 = 28th week of 2004 or July 2004

#### 1999

V-6 Standard - P205/65TR15

GT Standard V-6 Sport Option - P225/55HR16 - BF Goodrich

GT Optional - P245/45ZR17 - Goodyear Eagle ZR45

#### © 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 19 of 21

Cobra - P255/45ZR17 - Goodyear Eagle GSC

Cobra; P245/45ZR17 - BF Goodrich Comp T/A

# 2000

V-6 Standard - P205/65TR15

GT Standard V-6 Sport Option - P225/55HR16; BF Goodrich

GT Optional - P245/45ZR17 - Goodyear Eagle ZR45

Cobra - P245/45ZR17 - Goodyear Eagle GSC

Cobra; P245/45ZR17 - BF Goodrich Comp T/A

Cobra R; 265/40ZR18; BF Goodrich G-Force KD

# 2001

V-6 Standard - P205/65TR15

GT Standard; - P225/55HR16 - BF Goodrich

GT Optional - P245/45ZR17 - Goodyear Eagle ZR45

Cobra - P255/45ZR17 - BF Goodrich Comp T/A

Cobra - P245/45ZR17 - BF Goodrich Comp T/A

# 2002

V-6 Standard - P205/65R15

V-6 Sport – P225/55HR16 – BF Goodrich

GT - P245/45ZR17 - Goodyear Eagle ZR45

Cobra - N/A this year

#### 2003

V-6 Standard - P225/55R16

GT & Mach 1 - P245/45ZR17 Goodyear Eagle ZR45

Cobra - P275/40ZR17; Goodyear Eagle F1

#### 2004

V-6 Standard - P225/55R16

GT & Mach 1 - P245/45ZR17 - Goodyear Eagle ZR45

Cobra - P275/40ZR17 - Goodyear Eagle F1 ......8

© 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 20 of 21

Quality of workmanship, condition, and cleanliness of above 3 categories. ......5

Point Deductions for any other items not proper or original. Crosscheck with owner documentation!



# © 2023 Mustang Club of America, Inc.

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

V04.11062022 Page 21 of 21