


1971 - 1973 MUSTANG CONCOURS TRAILERED / DRIVEN

1.	INTERIOR	Points
a.	Door Area: Door Weather-strip, Scuff Plates and Label: Original style and finish in original location. Scuff plate labels must be blue. Door Hardware: Includes latching mechanisms and hinges. Original style mounted in original location. Painted Surfaces, Door Edges and Jambs: Includes door ends and bottom. Painted same as exterior. Mustangs with décor group may have black out on the door sill and jambs.....	8
	Quality of workmanship, condition, and cleanliness	10
b.	Seat Style, Grain, Seat Belts, and Shoulder Harnesses: Correct seats and style for year. Belts correct for year and model	4
	Quality of workmanship, condition, and cleanliness	10
c.	Kick Panels: Correct color and style for interior	2
	Quality of workmanship, condition, and cleanliness	2
d.	Tire Pressure Decal: 71 - right side door jamb. 72 - right side door pillar or right side door jamb. 73 - right side door pillar.....	1
e.	Windlace and Sun Visors: Correct grain and style.....	2
	Quality of workmanship, condition, and cleanliness	1
f.	Headliner or Underside of Soft Top: Headliner must have moon skin texture. Convertible top pads correct canvas material. Convertible rear window zipper must be brass	2
	Quality of workmanship, condition, and cleanliness	5
g.	Carpet: Original molded type correct color for interior with vinyl inserts	5
	Quality of workmanship, condition, and cleanliness	6
h.	Windshield Trim, Inside Mirror, Top Latches and Visor Brackets: Original style and finish. Mounted in original location	4
	Quality of workmanship, condition, and cleanliness	2
i.	Dash Pad and Covering: Original grain and style. Correct color for interior ..	3
j.	Dash Hardware, Steering Column and Wheel Assembly: Correct style and finish mounted in original location. No real wood wheels. Export and T5 speedometer may be in kilometers.....	4

1971 - 1973 MUSTANG CONCOURS TRAIERED / DRIVEN

- k. **Radio and Speakers:** Must be a genuine FORD radio, correct for year of car. AM, AM-FM, AM 8-Track. 73 - may have AM-FM 8-Track. Door speakers for AM-FM, AM-8-Track and AM-FM 8-Track only. Door speaker grilles must be proper style and color for particular year of car **3**
- l. **Painted Surfaces, Dash Color:** Correct color (low luster) for interior **2**
Quality of workmanship, condition, and cleanliness of 4 items above **9**
- m. **Under Dash Area, Pedal Assembly, Firewall Cover, Shifter and Console:**
Original style and finish mounted in original location. Mach 1 sport interior pedals must have correct trim. Disc or power brakes, pedal must indicate. Brake pedal must indicate power disc brake if car is equipped.
Console and Shifter: Long or short. Long console may or may not have clock option. **6**
Quality of workmanship, condition, and cleanliness **4**
- n. **Package Tray and Quarter Panels:** Correct color and style for interior. Fold down seat option matching carpeted backs, chrome trim and rear trap door .. **5**
Quality of workmanship, condition, and cleanliness **6**
- Point Deductions** for items not proper or original and not previously deducted **5**



1971 - 1973 MUSTANG CONCOURS TRAIERED / DRIVEN

2.	TRUNK	Points
a.	Mat: Dark gray splatter on trunk floor. Must cover galvanized plugs in floor with some overspray on filler boot. Grande - mat standard. Coupes/convertibles - mat optional. Mach I - no mat..... Quality of workmanship, condition, and cleanliness	5 3
b.	Spare Tire and Wheel: Proper type for year and model. Cars with optional wheels may have optional or standard wheel for spare. Wheels: Correct finish, mounted in original location with clamping parts of original style and finish. Space-Saver Wheel: Must be proper size (F78-14) with correct valve stem cap, available only with competition suspension and/or magnum wheels or fold-down seat option. Requires inflator bottle, painted red and correct decal. Quality of workmanship, condition, and cleanliness	3 3 2
c.	Jack Assembly and Lug Wrench: Original style and painted semi-gloss black. Mounted in original location Quality of workmanship, condition, and cleanliness	3 2
d.	Painted Surfaces in Trunk: Must match exterior color. Sound deadener must be present on trunk side of quarter panels. All dark gray splatter paint on trunk floor including galvanized plugs and overspray on filler boot, and around edges of white marker lights..... Quality of workmanship, condition, and cleanliness	3 3
e.	Trunk Weather-strip and Jacking Instructions: Original style. Weather-strip mount on the body and instructions mounted on underside of trunk lid ... Quality of workmanship, condition, and cleanliness	2 2
f.	Taillight Body, Gas Filler Neck, and Trunk Latch: Original design and finish..... Quality of workmanship, condition, and cleanliness	4 2
	Point Deductions for items not proper or original and not previously deducted.....	3

1971 - 1973 MUSTANG CONCOURS TRAILERED / DRIVEN

3.	ENGINE COMPARTMENT	Points
a.	Battery Carrier: With appropriate attaching parts. Heat shield on big block cars. Must have "L" bracket. If hole is present, bracket required Quality of workmanship, condition, and cleanliness	2 1
b.	Battery: 71 - Autolite. 72 - Autolite or Motorcraft. 73 - Motorcraft. Group 22, 24 or 27 acceptable Driven Exception: Autolite or early Motorcraft with screw in caps Motorcraft replacement without screw in caps All other brands Autolite battery cover Quality of workmanship, condition, and cleanliness	6 no deduction mandatory 1 point deduction mandatory 6 point deduction mandatory 3 point deduction 1
c.	Starter Solenoid: 71 - black Autolite. 72 - Autolite or Motorcraft. 73 - Motorcraft. Correct, type with Ford part number. Mounted in original location Quality of workmanship, condition, and cleanliness	2 1
d.	Battery Cables and Starter Cable: 71 - Autolite. 72 - Autolite or Motorcraft. 73 - Motorcraft. Routed in original position. Positive Cable: Red with correct Ford stamped numbers. Starter and Ground Cable: Black. Original mounting bracket. Cables printed as original. No paper sleeves. Quality of workmanship, condition, and cleanliness	3 2
e.	Alternator and Starter: 71 - Autolite. 72 - Autolite or Motorcraft. 73 - Motorcraft. Alternator: Natural cast aluminum finish. Alternator Fan, Pulley, Lock Washer and Nut: Zinc dichromate finish. Alternator Spacer: Bare aluminum finish. Starter: Semi-gloss black..... Quality of workmanship, condition, and cleanliness	2 2
f.	Air Cleaner and Attaching Parts: Proper type for model, painted correct Ford Corporate blue with proper air cleaner decal. No Ram-Air units on 72-73 351 4V equipped cars without proper documentation. Ram-Air unit must be proper for year and model of car Quality of workmanship, condition, and cleanliness	4 2

1971 - 1973 MUSTANG CONCOURS TRAILERED / DRIVEN

- g. Engine Components to be Painted:**
Ford Corporate Blue Components: Engine block, head/heads, intake manifold, carburetor plate (may be natural), valve covers and oil dipstick handle, 429 Cobra Jet cars may have chrome oil dipstick handle, thermostat housing, bypass hose and clamps (may be painted or natural), water pump assembly, timing cover, oil pan, oil dipstick tube.
Semi-Gloss Black Components: Fan, fan pulley, crankshaft pulley, alternator bracket and adjustment arm.
Semi-Gloss Black or Natural Components: Engine mount brackets, harmonic balancer. **6**
Quality of workmanship, condition, and cleanliness **6**
- h. Engine Components to be Natural:** Bell housing (may have blue overspray), accelerator linkage, distributor hold-down bracket and automatic transmission dipstick handle.
Valve Covers: 429 bare aluminum. **5**
Quality of workmanship, condition, and cleanliness **5**
- i. Carburetor and Intake Manifold:** Proper type for year and engine **5**
Quality of workmanship, condition, and cleanliness **2**
- j. Distributor and Cap:**
Distributor: 71 - Autolite. 72 - Autolite or Motorcraft. 73 - Motorcraft. Proper design and natural aluminum finish. Correct for year and model. Must have vacuum advance.
Cap: 71 - black with raised AUTOLITE letters. 72 - Autolite or Motorcraft. 73 - Motorcraft. **3**
Driven Exception:
Petronix points replacement module or equivalent acceptable ...**no deduction**
Quality of workmanship, condition, and cleanliness **2**
- k. Coil:** 71 - Autolite. 72 - Autolite or Motorcraft. 73 - Motorcraft. Yellow ceramic top. After May 1973 could have black top with white stamping, mounted in correct location. Mounting bracket finish can be semi-gloss black or phosphate and oil **2**
Quality of workmanship, condition, and cleanliness **1**

1971 - 1973 MUSTANG CONCOURS TRAILERED / DRIVEN

- l. Spark Plugs and Wires:** 71 - Autolite. 72 - Autolite or Motorcraft. 73 - Motorcraft. Black or orange boots. Properly routed with correct attaching brackets.
Spark Plugs: 71 - Autolite. 72 - Autolite or Motorcraft. 73 - Motorcraft. Correct style and type for engine and year..... **3**
Driven Exception:
Motorcraft spark plugs **no deduction**
Quality of workmanship, condition, and cleanliness **2**
- m. Exhaust Manifolds:** Natural cast iron appearance (paint acceptable). May show engine color overspray. Washer (ramp-lock) style locks. No manifold gaskets **3**
Quality of workmanship, condition, and cleanliness **2**
- n. Fuel Lines and Attaching Parts:**
Rigid Lines: Original configuration and finish in original location with proper attaching parts.
Flex Lines: Black with original factory markings.
Clamps: Spring style..... **2**
Driven Exception:
Stainless steel brake lines **no deduction**
Quality of workmanship, condition, and cleanliness **1**
- o. Fuel Pump:** 71-73 V-8 Carter. 6 cylinder Carter, AC or Autolite. Original design. Natural cast aluminum and zinc dichromate finish **3**
Quality of workmanship, condition, and cleanliness **2**
- p. Oil Filter:** 71 - Autolite. 72 - Autolite or Motorcraft. 73 - Motorcraft. Engine block color or white with Autolite/ Motorcraft design. Block color filters must have correct ribbed end and logo..... **2**
Quality of workmanship, condition, and cleanliness **1**
- q. Air Conditioning and Attaching Parts:**
Semi-Gloss Black Components: Brackets, York and Tecumseh A/C compressors, condenser, and dryer. A/C brackets may have machined surfaces.
Natural Components: Fan clutch..... **3**
Quality of workmanship, condition, and cleanliness **2**
- r. Power Steering:**
Semi-Gloss Black Components: Pump pulley. Pump. Front of pump matches canister. Mounting bracket.
Natural Components: Aluminum spacer and aluminum mounting bracket.... **2**
Quality of workmanship, condition, and cleanliness **2**

1971 - 1973 MUSTANG CONCOURS TRAILERED / DRIVEN

- s. **Emission System:** 71-73 - proper PCV valve. 72 California cars and 73 all, EGR valve. All cars must have proper size charcoal canister mounted in the proper location..... **6**
Quality of workmanship, condition, and cleanliness **3**
- t. **Fender and Inner Fender Bolts:** Original color and style with disc washers. Zinc dichromate and cadmium finish **3**
Quality of workmanship, condition, and cleanliness **2**
- u. **Horns:** Semi-gloss black. Original design. Mounted in original location with proper mounting bracket. Must be marked HI and LO **2**
Quality of workmanship, condition, and cleanliness **1**
- v. **Windshield Washer Assembly, Windshield Reservoir Assembly, Mounting Brackets, Hoses and Pump:** Original type and finish Mounted in original location. D1TF-BA or D1TF-CA. Windshield wiper motor correct for year and model. Motor black cover zinc dichromate bolts with rubber grommets **2**
Quality of workmanship, condition, and cleanliness **2**
- w. **Firewall and Inner Fender Panels:** Painted semi-gloss black. Shock tower braces, correct slop gray color. Shock tower caps, natural steel or phosphate and oil finish **3**
- x. **Sound Deadener (Sealant):** At proper places on firewall including any areas where components come through the firewall, such as wiring and heater motor. No sound deadener with documentation **2**
Quality of workmanship, condition, and cleanliness of items W through X **4**
- y. **Underside of Hood:** Same color as exterior **2**
Quality of workmanship, condition, and cleanliness **2**
- z. **Hood Release, Latch and Latch Support:**
Release and Latch: Original style. Natural steel or phosphate and oil finish.
Latch Support: Painted correct slop gray color..... **2**
Quality of workmanship, condition, and cleanliness **2**
- aa. **Hood Hinges and Springs:** Original style. Phosphate and oil finish. NASA (Ram-Air) hoods must have the proper flat wire springs..... **2**
Quality of workmanship, condition, and cleanliness **2**
- bb. **Decals:** 71 only - Service Specification decal. Battery Test decal. Cubic inch air cleaner decal. Emission Service decal. Caution Fan decal **3**

1971 - 1973 MUSTANG CONCOURS TRAIERED / DRIVEN

- cc. Voltage Regulator:** 71 - Autolite. 72 - Autolite or Motorcraft. 73 - Motorcraft.
All riveted cover and non-electronic..... **2**
Quality of workmanship, condition, and cleanliness **1**
- dd. Wiring:** Proper gauge and color code, mounted in original location with proper attaching clips. Black plastic wrapping as original **3**
Quality of workmanship, condition, and cleanliness **2**
- ee. Master cylinder, Power Brake Unit and Rigid Brake Lines:**
Master cylinder, Manual brakes: Semi-gloss black or cast iron finish.
Cap: Semi-gloss black or cadmium finish.
Power brakes: Master cylinder and booster all painted semi-gloss black including cap and bolt. **NOTE:** There were several versions of caps with debossed or embossed fluid caution warning. All are acceptable.
Rigid Brake Lines: Natural steel finish..... **3**
Driven Exception:
Stainless steel brake lines **no deduction**
Quality of workmanship, condition, and cleanliness **2**
- ff. Radiator, Hoses and Clamps:**
Radiator: Ford type with FoMoCo logo. Painted semi-gloss black with proper core thickness and black rubber overflow tube. All cars must have proper fans and fan shrouds.
Hoses: 71 - Autolite. 72 - Autolite or Motorcraft. 73 - Motorcraft. Molded rubber hose of original size and configuration. **6**
Clamps: Wire style with wire staples. **4**
Quality of workmanship, condition, and cleanliness **4**
- gg. Radiator Cap:** 71 - Autolite. 72 - Autolite or Motorcraft. 73 - Motorcraft.
Pressure release cap allowed **1**
Quality of workmanship, condition, and cleanliness **1**
- hh. Heater Hoses and Clamps:**
Hoses: 71 - Autolite. 72 - Autolite or Motorcraft. 73 - Motorcraft. Black ribbed style with or yellow stripe.
Clamps: Pedestal type only. **3**
Quality of workmanship, condition, and cleanliness **2**
- ii. Belts:** 71 - Autolite. 72 - Autolite or Motorcraft. 73 - Motorcraft. Ink-stamped, embossed or debossed **3**
Quality of workmanship, condition, and cleanliness **1**
- jj. Aluminum Engine ID Tag:** Visible on intake manifold or mounted under the coil bracket. Cars built after 2/1/73 use paper decal on right side cover..... **1**

1971 - 1973 MUSTANG CONCOURS TRAILERED / DRIVEN

Point Deductions for items not proper or original and not previously deducted **5**



© 2024 Mustang Club of America, Inc

All content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

1971 - 1973 MUSTANG CONCOURS TRAIERED / DRIVEN

4. **UNDERCARRIAGE** **Points**
- Front Wheel Wells:**
- a. **Front Fender:** Topside may be blacked out with sound deadener or show signs of primer and body color overspray. Splash guards, black with some sound deadener. Inner fenders, wheel-side could show blending of body color, primer or engine compartment color with deadener overspray. **2**
Quality of workmanship, condition, and cleanliness **3**
- Front Suspension and Steering:**
- b. **Front Natural Parts:** Tie rods, tie rod adjustment sleeves, idler arm, drag link, pitman arm, steering box, strut rods, strut washers, sway bar, sway bar end links & mounting brackets, spindles, upper control arms, spring seats. Lower control arms (all have jacking tabs or dimples) may be all natural or black with natural ball joint ends.
Front Semi-Gloss Black Parts: Coil springs (may be natural)..... **5**
Quality of workmanship, condition, and cleanliness **4**
- c. **Front Brakes - Drum:** Drums, cast iron finish. Brake backing plates, semi-gloss black finish. Wheel cylinders with small bleeder screws (73 may have larger), cast iron finish. Mounting bolts, phosphate and oil finish. Brake adjusting access hole plugs, rubber. Brake shoe hold-downs, zinc dichromate finish.
Front Brakes - Disc: Calipers, natural finish. Splash shields, semi-gloss black finish. Caliper mounting bracket, cast iron finish.
Driven Exception: Wheel cylinders with larger bleeder screws acceptable. .. **4**
Quality of workmanship, condition, and cleanliness **3**
- d. **Front Shock Absorbers:** All shocks black. 71 - Autolite. 72 - Autolite or Motorcraft. 73 - Motorcraft.
Driven Exception: 71 - Black Motorcraft - no deduction. Black non-Ford - mandatory 2 point deduction. **2**
Quality of workmanship, condition, and cleanliness **1**
- e. **Undercarriage:**
Undercoating: No undercoating allowed in Trailered Class. **Note:** Undercoating was applied by dealers. Sound deadner was applied at the factory.
Undercoated Cars: Everything must be covered except drive shaft, transmission, rear-end housing, exhaust pipes, mufflers, springs and plates. Gas tank must be fully undercoated or have overspray around leading front edge and two sides. Must show some evidence of overspray. Convertible plate must be undercoated.
Or

1971 - 1973 MUSTANG CONCOURS TRAILERED / DRIVEN

Non-undercoated Cars: Undercarriage primer red oxide, dark gray or black or any combination of batch primer colors with some body color fading to tunnel and semi-gloss black pinch weld paint overspray. (Primer paint drips should be visible for non-undercoated cars.) Some sound deadner on floor pans is ok but not on gas tank. Convertible plate, black or natural..... **20**

Quality of workmanship, condition, and cleanliness of undercoating.

(Workmanship of undercoating must be poor quality or excessive to deduct points).

Quality of workmanship, condition, and cleanliness of underside of floor pans.
..... **15**

- f. **Transmission and Linkage:** Exterior surface natural finish (cast aluminum or cast iron). Automatic transmissions, two 1-piece cooler lines, natural steel finish.

Inspection Plates: Black or natural finish according to application.

Automatic Filler Tubes: Semi-gloss black or natural steel finish.

Linkage: Phosphate and oil finish. Lower shift boot on all manual transmission linkage.

Speedometer Cable: Must have correct housing and of proper type. Drag Pac cars must have speed reducer. **4**

Driven Exception:

Stainless steel lines..... **no deduction**

Quality of workmanship, condition, and cleanliness **3**

- g. **Transmission Cross Brace Support:** Semi-gloss black or natural steel finish. **2**

Quality of workmanship, condition, and cleanliness **1**

- h. **Driveshaft and U-Joints:** Mounted properly. Original type, no grease fittings. Natural steel and cast finish **3**

Quality of workmanship, condition, and cleanliness **2**

- i. **Third Member:** Painted red oxide primer. May have natural machined surfaces. Attaching hardware has correct finish. Identification tag present **4**

Quality of workmanship, condition, and cleanliness **3**

- j. **Exhaust System:** Proper material. Correctly mounted with proper attaching hardware. Factory chrome tips on Mach I only. All systems must be aluminized except for Y or H pipe. 2V engine has single exhaust.

Muffler: May be plain with no name if proper style and length.

Clamps and Hangers: Proper saddle type clamps, natural. Proper hangers, natural steel and rubber finishes. **NOTE:** Original came welded.

Replacement service parts used clamps. Either one is acceptable. **6**

Driven Exception: Stainless steel system..... **no deduction**

© 2024 Mustang Club of America, Inc

All content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

1971 - 1973 MUSTANG CONCOURS TRAILERED / DRIVEN

	Quality of workmanship, condition, and cleanliness	6
	Lower Pinch Welds: From front wheel well (behind fender) to rear valance, semi-gloss black or body color if exterior is a dark color.	1
	Quality of workmanship, condition, and cleanliness	2
k.	Rigid Fuel and Brake Lines: Natural steel finish. Routed in original location. Factory spring clips have square corners.....	2
	Driven Exception: Stainless steel lines.....	no deduction
	Quality of workmanship, condition, and cleanliness	1
l.	Flexible Fuel, Brake Lines and Differential Vent: Black rubber. Original Ford factory markings. Mounted in proper location	2
	Quality of workmanship, condition, and cleanliness	1
m.	Rear Natural Parts: Leaf springs, leaf spring clamps, spring shackles, shock mount plates, leaf spring U-bolts.	
	Rear Semi-Gloss Black Parts: Rear sway bar.	5
	Quality of workmanship, condition, and cleanliness	4
n.	Rear Shock Absorbers: All shocks black. 71 - Autolite. 72 - Autolite or Motorcraft. 73 – Motorcraft	2
	Driven Exception: 71 - black Motorcraft	no deduction
	Black Non-Ford	mandatory 2 point deduction
	Quality of workmanship, condition, and cleanliness	1
o.	Rear Brakes: Drums, cast iron finish. Brake backing plates, semi-gloss black finish. Wheel cylinders with small bleeder screws cast iron finish. Mounting bolts, natural steel finish. Brake adjusting access hole with black rubber plug. Brake shoe hold-downs, zinc dichromate finish. Parking brake cables, natural steel finish.	4
	Driven Exception: Wheel cylinders with larger bleeder screws acceptable.	
	Quality of workmanship, condition, and cleanliness	3
p.	Rear-End Housing: Semi-gloss black finish.....	2
	Quality of workmanship, condition, and cleanliness	2
q.	Gas Tank: Must be original type and Ni-terne steel finish.....	2
	Quality of workmanship, condition, and cleanliness	3
r.	Rear Tail Pipes Clamps and Hangers: Proper saddle type clamps, natural. Proper hangers, natural steel and rubber finishes.....	2
	Quality of workmanship, condition, and cleanliness	2

1971 - 1973 MUSTANG CONCOURS TRAILERED / DRIVEN

- s. Rear Wheel Wells:** Blacked out with sound deadener. Body color or black overspray acceptable. **2**
Quality of workmanship, condition, and cleanliness **3**
- t. Wheels:** Proper size and correct style for year and make. Painted semi-gloss black. Cars with Magnums built before 4/1/71 must use small center caps. No 14-inch Magnums without proper documentation. 14-inch forged aluminum wheels, 73 only **5**
- u. Hubcaps, Trim Rings and Lug nuts:** If visible. Correct style for year with proper center caps on Magnum wheels. Full wheel covers must be proper for year and model of car. Must have correct lug nuts **5**
- v. Tires:** Proper size and style for year and make. Radials, optional, correct size only. No P-Metric radials allowed in trailered class. All five tires must match except with Space Saver option **5**
Driven Exception: Comparable size radials or belted tires **no deduction**
Tire Max size 225 oversized **Mandatory 2 point deduction**
Unrestored cars:
Reproduction tires – 2 point deduction
Improper Size – 2 point deduction
P Metric Radials – 4 point deduction

1971	1972-73
6-cylinder model & V8 model except Mach 1 E78 X 14 BSW (Standard) E70 X 14 WSW (n/a for 429CJ & 429SCJ) F70 X 14 WSW F70 X 14 B/WL F60 X 15 B/WL (V8 only) Mach 1 E70 X 14 WSW (Standard for 302 & 351, n/a for 429CJ & 429SCJ) F70 X 14 WSW (Standard for 429CJ, n/a for 429SCJ) F70 X 14 B/WL (Standard for 429SCJ) F60 X 14 B/WL	6-cylinder model & V8 model except Mach 1 E78 X 14 BSW (Standard) E70 X 14 WSW F70 X 14 WSW F70 X 14 B/WL F60 X 15 B/WL (n/a for 6-cylinder) F78 X 14 BSW (73 only & standard for convertible w/351-4V) F78 X 14 WSW (73 only) GR78 X 14 BSW (73 only) GR78 X 14 WSW (73 only) Mach 1 E70 X 14 WSW (Standard) F70 X 14 WSW F70 X 14 B/WL F60 X 15 B/WL GR78 X 14 BSW (73 only) GR78 X 14 WSW (73 only)

Quality of workmanship, condition, and cleanliness of items t. through v. **5**

- w. Grommets, Attaching Nuts, Bolts and Washers:** Original style and finish.. **4**
Workmanship, condition and cleanliness..... **2**

1971 - 1973 MUSTANG CONCOURS TRAIERED / DRIVEN

Point Deductions for items not proper or original and not previously deducted **5**



© 2024 Mustang Club of America, Inc

All content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

1971 - 1973 MUSTANG CONCOURS TRAILERED / DRIVEN

5.	EXTERIOR	POINTS
a.	<u>Body Workmanship and Fit:</u> Smoothness of sheet metal, alignment of hood, trunk, doors to body, attachment and alignment of chrome parts to body.	25
b.	<u>Paint Workmanship, Condition and Cleanliness:</u> Match and consistency of color on body panels. <u>Must have orange peel</u> (up to 3 point deduction for no orange peel).	25
c.	Stripes: Must be original type material for year and model of car, placed in proper location. Must be proper color. All exterior colors use black stripes except the following color codes: 71 - A, C, J, 6. 72-73 - 4Q, 3K, 4C. Does not apply to dual color side stripe or accent (pin) stripe Workmanship, condition and cleanliness.....	3 2
d.	Convertible or Vinyl Top: Proper material for year. Convertible Top: Black or white (parchment). Other colors permitted with documentation. Rear bow finisher strip is 2-piece plastic not 1-piece fold over. Vinyl Top: Top color coordinated with exterior color. Rain gutter must be sealed with silicone and rivets must be visible on bottom side for retainer. Correct chrome trim..... Workmanship, condition and cleanliness.....	4 5
e.	Grille, Corral and Grille Opening Trim: Correct design for year Workmanship, condition and cleanliness.....	3 3
f.	Headlamps and Doors: Matching manufacturer, legal clear bulbs. Incandescent bulbs only Driven Exception: Matching halogen headlights.....	4 no deduction
g.	Grill Lights: Original type, mounted in original manner	2
h.	Parking, Tail, Back-Up, Running and Tag Lights: Original design for year. Workmanship, condition and cleanliness of items e. through g.	6 5
i.	Bumpers, Guards, Bolts and Brackets: Proper style and finish for year. Mounted in original position Workmanship, condition and cleanliness.....	5 4
j.	Other Chrome Trim and Molding: Including outside mirrors. Proper style and finish for year, mounted in original location. T5 will have no MUSTANG side emblem or trunk letters. Single T5 emblem mounted on each front fender (Same size and shape as 65-6 GT emblem)	5

1971 - 1973 MUSTANG CONCOURS TRAIERED / DRIVEN

- k. **Antenna:** Rectangular base. 71 - collapsible round mast. 72 - collapsible or fixed round mast. 73 - fixed round mast. Documentation required for rear-mounted or other antennas2
Workmanship, condition and cleanliness of items j. through k.5
- l. **Windshield and Other Glass:** Must be Carlite glass - script or block.
Convertible rear window, glass.....4
Workmanship, condition and cleanliness.....5
- Point Deductions** for items not proper or original and not previously deducted5

